

Mercury Spa Technical Information Pack




Dimensions: 200 x 200 x 82/92cm

The biggest selling compact family spa. Perfect for mum, dad and the kids.



Dimensions: 200 x 200 x 82/92cm





4 x 127mm Single SpinningJets



8 x 75mm Directional Jets




4 x 50mm Twin Spinner Jets



o 14 x 50mm Directional Jets














Mercury.

Hydrotherapy

Jets

46

Volume

851 litres / 996 litres

Seating

5 seats

Dimensions

 $2.0 \times 2.0 \times .82 / .92$ m high

Seat layout



- 1. Neck and shoulder therapy
- 3. Lounger
- 5. Cool down

- 2. Cool down
- 4. Lounger



* Conditions apply. Specifications may change without notice. May be pictured with some options included.

Features

Spa features

LED backlit water cascade
Spa health indicator
Aromatherapy system
Non-slip backlit drink holders
Backlit laminar jets
SmartSTREAM sound system*

Build

Thermoclad maintainence free cabinet Superior USA made Aristech acrylic Thermobond 4 layer shell construction 12 shell/cabinet colour combinations Timber free 'no rot' Permaframe High impact moulded ABS base Duraflex 'no kink' PVC plumbing

Water care

Purezone micro filtration Purezone CD Ozone water clarifyier Purezone UV sterilising system

Lighting

Programmable lighting
Underwater LED floodlight
Perimeter & cabinet lighting
Hydroglow jet & topside control lighting

Hydrotherapy

Stainless steel jet casings
Neck therapy collar
Dual hydrotherapy loungers
Individual seat pressure controls
Hydroflow stainless steel spinning jets

Control

SpaNet premium control systems Smart phone app remote control* SmartLINK WIFI connectivity*

Efficiency

Intelligent thermal tuning
High density lockable hardcover
Perimeter insulation
Dual layer insulation
Hybrid heat pump*
Arctic pack insulation*

*optional

Specifications

	.82m	.92m
Dry weight	275kg	295kg
Filled weight (inc cover)	1140kg	1305kg
Lift weight	364kg	388kg
Intuitive spa controller	SV2	SV2
Programmable circulation pump	250W	250W
Jet pumps	3HP x 1	3HP x 1
Variable speed airblower	1000W	1000W
Variable output heater	3kW max	3kw max
Electrical requirements	15 amps max	15 amps max

Warranties

Frame	Lifetime
Shell structure	10 years
Acrylic surface	5 years
Jets, plumbing & heater	5 years
Pumps & equipment	2 years